

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	4	("5903061" "6005297" "6679346").PN. OR ("6960152").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/10/25 12:13
L2	2	("3055711").PN.	EPO; JPO; DERWENT	OR	OFF	2006/10/25 12:13
S1	354	(320/104).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/10/19 13:57
S2	727	(320/132).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/10/19 14:47
S4	7293	("903").CLAS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/10/19 16:42
S5	6271	(903/903-907,941-943).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/10/19 14:51
S11	544	(903/907).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/10/19 14:50
S13	295	(903/904).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/10/19 14:50
S18	602	(324/427).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/10/19 15:06

EAST Search History

S19	415	torque and engine and battery and (vehicle or car or automobile or hybrid) and ((target or desired) with torque) and (battery with charg\$3) and (threshold or limit) and (alternator or motor\$1generator or MOGEN or Mo\$1Gen or generator\$1motor or (motor with generator))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/10/19 16:44
S20	288	S19 and ((max or maximum) with (output or level or value or torque))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/10/19 16:45
S21	173	S20 and (S\$10\$1C\$1 or SOC or state\$1of\$1charge)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/10/19 16:47
S22	198	S20 and ((S\$10\$1C\$1 or SOC or state\$1of\$1charge) or (charge with capacity))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/10/19 16:51
S23	157	S22 and ((modify or modifying or modification or adjust\$3 or chang\$3) with torque)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/10/19 16:49
S24	92	S23 and ("903"/\$.ccls. or "320"/\$.ccls. or "324"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/10/19 16:53
S25	48	S23 and ((S\$10\$1C\$1 or SOC or state\$1of\$1charge or capacity) with (threshold or limit))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/10/19 16:53
S26	33	S25 and ("903"/\$.ccls. or "320"/\$.ccls. or "324"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/10/19 16:53
S27	12	(US-20020107618-\$).did. or (US-7028795-\$ or US-7019472-\$ or US-6960152-\$ or US-6892128-\$ or US-6672415-\$ or US-6480767-\$ or US-6166499-\$ or US-6090007-\$ or US-5903061-\$ or US-5873801-\$ or US-5791426-\$).did.	US-PGPUB; USPAT	OR	ON	2006/10/23 14:01

EAST Search History

S28	5	S27 and (maximum (output or torque)) and (battery with (state\$1of\$1charge or S\$1O\$1C\$1)) and ((modif\$4 or adjust\$3) with torque) and ((target or desired or required or needed) with torque) and (((state\$1of\$1charge or S\$1O\$1C\$1) with (threshold or limit)) same battery)	US-PGPUB; USPAT	OR	ON	2006/10/23 14:06
-----	---	--	--------------------	----	----	------------------